

RHINO-SC

CPNI Security Rated Sliding Doors



THE STRENGTH TO PROTECT

Rhino-SC Sliding Doors

Designed to resist deliberate forced entry, blast, vehicle ram and ballistic attacks
Comprised of multiple panels forming one or more rigid door leaves that can slide directly into a storage area to create minimum intrusion into the internal space.

- Tested to:** UK Government CPNI security standard
- Optional ratings:** Blast resistance
Ballistic resistance to FB4/G2
Ram Resistance to BSi PAS68 (amended)
- Configurations:** Sliding folding and bi-parting sliding folding
- Maximum opening sizes:** 26000 x 8000mm
4000 x 8000mm high in bi-parting configurations (w x h)
- Door Panels:** 100mm thick with steel skins
Composite attack resistant core
Vertical steel box section
- Guides and rails:** Heavy duty top supported tracks at the head fitted with 'sealed for life' Nylatron bearings
Bottom track guide rail manufactured from heavy gauge mild or stainless steel
- Operation:** Available with manual and fully automatic operation, ground supported or top hung
- Drop bolts:** Manual or electrically operated
- Optional extras:** Wicket door for personnel access
Louvres
Glazing
Bi-parting option tailored to crane rail protrusions
- Finishes:** 'Colorcoat' sheets from a range of standard colours
Galvanised steel
Finish painted in a choice of colours



Rhino-SC Sliding door



Rhino-SC Sliding door



Contact details

Rhino Systems Limited

Maritime Road
Llewellyns Quay
Port Talbot
SA13 1RF

T: +44 (0) 1639 888 119

info@rhinodoors.com
www.rhinodoors.com



Raising Standards
Advancing Safety

